

XTS Single Circuit Track

PRODUCT SPECIFICATION

H-Type Compatible | 120V | Surface | Suspended

North America



XTS Single Circuit Track is an architectural-grade, spec-ready track system engineered for straight, clean runs and long-term electrical reliability in surface or suspended commercial lighting layouts.



Features/Benefits

- **Premier Spec Grade** – Strong extruded aluminum provides a solid foundation to any track system
- **Minimalist Design** – Clean and sleek low-profile design is inline with market demands
- **Superior Electrical Design** – Copper conductors maintains consistent and dependable power
- **Multiple Finishes** – Choose White, Black, or Silver Aluminum to fit any design environment
- **Simple and Flexible Installation** – Surface mount or suspended with predrilled mounting holes spaced per UL/NEC

Specifications

Application: Power Supply for XTS Track Lights

Type: H-Type Compatible Track Power Supply

Circuit: 1-Circuit


Voltage: 120V

Amps: 20 Amps Max

Finish: Black, White, Gray

Regulatory: cULus Listed

Dimensional Drawing



Ordering Logic

Example: XTS-GEST1H - GES208 - B (XTS 1-Circuit 120V H-Type Track, 8 feet, Black finish)

Model

XTS-GEST1H XTS 1-Circuit 120V H-Type Track

Length

GES204 4 Feet
GES208 8 Feet
GES218 12 Feet

Finish

B Black
W White
A Anodized Aluminum

Connectors / Feeds / Endcap



Live Center Feed (GES38)



T-Connector (GES40)



X-Connector (GES38)



L-Connector (GES34)



Conduit End Feed (GES13)



Linear Coupler (GES21)



Live End Feed (GES11/12)



Dead End Cap (GES41)**



Conduit Continuation Kit (GES1316)



Reinforcement Plate (GEA21)



T-Bar Feed Kit (GES17)

Ordering Logic

Model

XTS-GEST1H-A XTS H-Type
Track Accessory

Type

GES34	L-Connector
GES40	T-Connector
GES38	X-Connector
GES14	Live Center Feed
GES21	Linear Coupler
GES11	Live End Feed
GES12	Live End Feed - Mirror
GES13	Conduit End Feed
GES1316	Conduit Continuation Kit
GES17	T-Bar Feed Kit*
GEA21	Track Reinforcement Plate**
GES41	Dead End Cap***

Finish

B	Black
W	White
G	Gray
Blank	No Finish

* Not available in Gray

** Only available in Natural Metal Color. Please Leave Finish "Blank"

*** Included with Live End Feed, Conduit End Feed, Linear Couplers, Live Center Feed and L, T, & X Connectors. May also be ordered separately.

Covers



Monopoint Cover (GES70)



Outlet Box Cover (GES15)



Floating Feed Cover (GES67)

Ordering Logic

Model

XTS-GEST1H-A XTS H-Type
Track Accessory

Type

GES70 Monopoint Cover
GES15 Outlet Box Cover
GES67 Floating Feed Cover

Finish

B Black
W White

Mounting Hardware - T-Bar Mounts



T-Bar Mount (GEA7/GEA7916)

Ordering Logic

Model

XTS-GEST1H-A XTS H-Type
Track Accessory

Type

GEA7 T-Bar Mounting Clip 15/16"
GEA7916 T-Bar Mounting Clip 9/16"

Finish

B Black
W White

Mounting Hardware – Suspension (Cable/Rod)



Threaded Mount Clip for Rods
(GEA6)



Ordering Logic

Model

XTS-GEST1H-A XTS H-Type
Track Accessory

Type

GEA12 Cable Mounting Track Clip*
GEA6 Threaded Mounting Clip*
SKB30 Ceiling Cup for Suspension Mount
SKB34-1 Suspension Wires 5ft*
SKB 34-1/3M Suspension Wires 9ft*
SKB 34-1/5M Suspension Wires 16ft*

Finish

B Black
W White
Blank No Finish

*Only available in natural steel color with no finish.

Mounting Hardware – Canopy and Stem

Universal Stem Suspension Point
(GEA10)



End Feed Stem Suspension Point
(GEA11)



Stem and Canopy
12"/18"/24"/36"/48"
(GEA37 /12/18/24/36/48)

Ordering LogicModel

XTS-GEST1H-A XTS H-Type
Track Accessory


Type

GEA10	Universal Stem Suspension Point
GEA11	End Feed Stem Suspension Point
GEA37/12	Suspended Stem/Canopy Kit - 12"
GEA37/18	Suspended Stem/Canopy Kit - 18"
GEA37/24	Suspended Stem/Canopy Kit - 24"
GEA37/36	Suspended Stem/Canopy Kit - 36"
GEA37/48	Suspended Stem/Canopy Kit - 48"

Finish

B Black
W White

Sample Track Configuration



1 Live End Feed (GES11/12)



2 Conduit End Feed (GES13)



3 Linear Coupler (GES21)



4 Live Center Feed (GES38)



5 L-Connector (GES34)



6 T-Connector (GES40)



7 X-Connector (GES38)