

XCC Channel Coll.




XCC-C-MM-PIKO

Minimal and Clean

Ultra slim and low profile that disappears into the architecture while delivering a clean, line of light from one of the slimmest profiles available.

Features/Benefits

- **Minimalist Profile** – With a 0.3" height, it provides seamless line of light that vanishes into the architecture.
- **Closet-Rated** – Safe for enclosed storage or closet spaces.
- **Easy Snap Assembly** – Simple snap-in/out covers and end caps that can be easily installed with adhesives or double-sided tape.
- **Multiple covers** – Choose from satin, frosted, or clear lens to provide desired light quality tuned to the application.
- **Applications** – closets, under-cabinet, millwork accent and reveals, furniture, display, coves, retail displays, residential and hospitality.



RoHS C E

IP20

IP67



ORDERING LOGIC

Model and Type	Family	Product ID	Finish	Length
XCC-C Xicato Channel Collection	MM Minimalist	PIKO PIKO	SA Silver Anodized BK Black	1 1m 2 2m

Example: XCC-C-MM-PIKO-SA-2


(Xicato Channel Col Channel Extrusion, Minimalist Family, PIKO, Silver Anodized, 2 meter long)

TECHNICAL SPECIFICATIONS

Height 0.3" (7.62mm)	Lighting Angle NA	Outward Bend Radius 150mm
Width 0.4" (10.16mm)	Material Aluminum	Inward Bend Radius 150mm
LED Tape Width 0.3" (7.62mm)	Possible IP 20, 67	Finish Silver Anodized, Black
Profile Cross-Section Rectangular	Possible Fixture Shape Linear, Round	Available Length* 1m, 2m

*Black finish currently only available in 2m lengths

DIMENSIONAL DRAWING



RECOMMENDED XFL LINEARS TAPE LIGHT**WHITES**

Ultra Slim
XFL-US

Tunable White

Tunable White Dual Color
XFL-TWDC

RECOMMENDED COVERS AND LENSES

Lens Cover	Color	Material	Transmission	Pixelation Note
XCC-L-PICO7-ST	Satin	PC	59%	Clean Line of Light
XCC-L-PICO7-BK	Black	PC	21%	Visible Dot*

Clean Line of Light



Visible LED Dots*



*Visibility of LED Dots will also depend on pitch and spacing of LED of the XFL used. Higher the density, the lesser visible dots.

RECOMMENDED ENDCAPS AND MOUNTS

MINIMALIST SERIES

Model	Type	Finish	XCC-C-MM-PIKOZM	XCC-C-MM-PIKO	XCC-C-MM-KOZEL10
XCC-E-MM-PIKO-GR-STD	End Cap	Gray		✓	
XCC-M-MM-PIKO-K10-CL	Mounting Bracket	Clear Plastic	✓	✓	

WARRANTY

4

YEAR WARRANTY

Limited Product Warranty

What is Covered

Xicato warrants the XCC product against defects in materials and workmanship for 4 years from date of purchase when used in accordance with product specifications and installation guidelines.

SAFETY AND INSTALLATION WARNINGS

1. Install per local/national electrical code by a licensed electrician.
2. Power with UL Listed Class 2, 24VDC power supply only.
3. Disconnect power before cutting or connecting tape light.
4. Do not exceed maximum run length. Cut at designated cut points only.
5. Do not power LED tape while coiled on reel.
6. Adhere to clean, dry surface free of oils, silicones, and contaminants.
7. Do not install where ambient temperature exceeds rated range.
8. Verify all component compatibility before installation.
9. Do not stare directly into illuminated LED light.
10. Store unused product in anti-static bag.
11. Failure to follow instructions voids warranty.

Consumer Acknowledgment

Please read full Terms and Conditions at xicato.com. Licensed professionals strongly recommended.