





XCC Channel Coll. XCC-C-MC-MICROPLUS

Miniature Profile

Slim low-profile surface-mount extrusion that can bend to a 150mm radius and rotate through 150°. Small enough to fit any architectural form, curve, or detail without compromising the line of light.

Features/Benefits

- **Slim Design** – with a 6mm profile - virtually disappears against any mounting surface.
- **Bendable** – up to a 150mm radius and angle for decorative geometric shapes such as curves and arches.
- **Easy Installation** – Cuttable to length with snap-in covers, end caps, and mounting hardware for surface or suspended installation.
- **Multiple covers** – Choose from satin, frosted, or clear lens to provide desired light quality tuned to the application.
- **Applications** – under-cabinet and millwork accent, curved retail displays, illuminated arches, media room reveals, and decorative feature lighting.



RoHS

IP20

IP67



ORDERING LOGIC

<u>Model and Type</u>	<u>Family</u>	<u>Product ID</u>	<u>Finish</u>	<u>Length</u>
XCC-C Xicato Channel Collection	MC Micro	MICPLUS Micro Plus	SA Silver Anodized	1 1m
			WH White	2 2m
			BK Black	

Example: XCC-C-MC-MICPLUS-SA-2


(Xicato Channel Col Channel Extrusion, Micro Family, MicroPlus, Silver Anodized, 2 meter long)

TECHNICAL SPECIFICATIONS

Height 0.2" (5.08mm)	Lighting Angle Upto 150°	Outward Bend Radius 150mm
Width 0.6" (15.24mm)	Material Aluminum	Inward Bend Radius 150mm
LED Tape Width 0.4" (10.16mm)	Possible IP 20, 67	Finish Silver Anodized, White, Black
Profile Cross-Section Angled (45°)	Possible Fixture Shape Linear, Round	Available Length* 1m, 2m

*White finish currently only available in 2m lengths

DIMENSIONAL DRAWING



RECOMMENDED XFL LINEARS TAPE LIGHT**WHITES**

Single Cut
XFL-SC



COB Static White
XFL-CSW



Static White
XFL-SW



Full Spectrum
XFL-FS



High Density
XFL-HD

Tunable White

COB Tunable White
XFL-CTW



Tunable White Dual Color
XFL-TWDC



Tunable White
XFL-TW

RECOMMENDED COVERS AND LENSES

Lens Cover	Color	Material	Transmission	Pixelation Note
XCC-L-HS11-FR	Frosted	PC	59%	Clean Line of Light
XCC-L-HS11-CL	Clear	PC	88%	Visible Dot*
XCC-L-LIGER11-ST	Satin	PC	59%	Clean Line of Light
XCC-L-LIGER11-BK	Black	PC	21%	Visible Dot*

Clean Line of Light**Visible LED Dots***

*Visibility of LED Dots will also depend on pitch and spacing of LED of the XFL used. Higher the density, the lesser visible dots.

RECOMMENDED ENDCAPS AND MOUNTS

MICRO SERIES

Model	Type	Finish	XCC-C-MC-MICROPLUS	XCC-C-MC-MICRONK
XCC-E-MC-MICROPLUS-GR-STD	End Cap	Gray	✓	
XCC-E-MC-MICROPLUS-WH-STD	End Cap	White	✓	
XCC-E-MC-MICROPLUS-BK-STD	End Cap	Black	✓	
XCC-E-MC-MICROPLUS-GR-HOLE	End Cap with Hole	Gray	✓	
XCC-E-MC-MICROPLUS-WH-HOLE	End Cap with Hole	White	✓	
XCC-E-MC-MICROPLUS-BK-HOLE	End Cap with Hole	Black	✓	
XCC-M-SQ-PDS4PLUS-PDS-WH	Mounting Bracket	White	✓	
XCC-M-SQ-PDS4PLUS-PDS-BK	Mounting Bracket	Black	✓	
XCC-M-SQ-PDS4PLUS-PDSSTN-SL	Mounting Bracket	Stainless Steel	✓	
XCC-M-SQ-PDS4PLUS-PLPDM-GR	Mounting Bracket	Gray	✓	
XCC-M-SQ-PDS4PLUS-PDSSTN90D-SL	90Deg Mount	Stainless Steel	✓	
XCC-M-SQ-PDS4PLUS-REGPD-GR	Adjustable Mount	Gray	✓	

WARRANTY

4

YEAR WARRANTY

Limited Product Warranty

What is Covered

Xicato warrants the XCC product against defects in materials and workmanship for 4 years from date of purchase when used in accordance with product specifications and installation guidelines.

SAFETY AND INSTALLATION WARNINGS

1. Install per local/national electrical code by a licensed electrician.
2. Power with UL Listed Class 2, 24VDC power supply only.
3. Disconnect power before cutting or connecting tape light.
4. Do not exceed maximum run length. Cut at designated cut points only.
5. Do not power LED tape while coiled on reel.
6. Adhere to clean, dry surface free of oils, silicones, and contaminants.
7. Do not install where ambient temperature exceeds rated range.
8. Verify all component compatibility before installation.
9. Do not stare directly into illuminated LED light.
10. Store unused product in anti-static bag.
11. Failure to follow instructions voids warranty.

Consumer Acknowledgment

Please read full Terms and Conditions at xicato.com. Licensed professionals strongly recommended.