

XCC Channel Coll.






XCC-C-MM-PIKOZM

Minimal and Bendable

Ultra slim and low profile with a small bend radius that can create a variety of geometric shapes to meet design elements and specifier requirements.

Features/Benefits

- **Minimalist Profile** – With a 0.4" height, it provides seamless line of light that vanishes into the architecture.
- **Custom Shapes and Runs** – Shapes can be created with its small bend radius
- **Closet-Rated** – Safe for enclosed storage or closet spaces.
- **Multiple Install Options** – Choose from surface mount, suspended, or recessed with optional dedicated track.
- **Multiple covers** – Choose from satin, frosted, or clear lens to provide desired light quality tuned to the application.
- **Applications** – closets, under-cabinet, millwork accent and reveals, furniture, display, coves, retail displays, residential and hospitality.



RoHSC



IP20

IP67



ORDERING LOGIC

<u>Model and Type</u>	<u>Family</u>	<u>Product ID</u>	<u>Finish</u>	<u>Length</u>
XCC-C Xicato Channel Collection	MM Minimalist	PIKOZM PIKOZM	SA Silver Anodized	1 1m
			WH White	2 2m
			BK Black	

Example: XCC-C-MM-PIKOZM-SA-2


(Xicato Channel Col Channel Extrusion, Minimalist Family, PIKOZM, Silver Anodized, 2 meter long)

TECHNICAL SPECIFICATIONS

Height 0.4" (10.16mm)	Lighting Angle NA	Outward Bend Radius 120mm
Width 0.4" (10.16mm)	Material Aluminum	Inward Bend Radius 120mm
LED Tape Width 0.3" (7.62mm)	Possible IP 20, 67	Finish Silver Anodized, White, Black
Profile Cross-Section Rectangular	Possible Fixture Shape Linear, Polygonal, Round	Available Length* 1m, 2m

*White and Black finish currently only available in 2m lengths

DIMENSIONAL DRAWING



RECOMMENDED XFL LINEARS TAPE LIGHT**WHITES**

Ultra Slim
XFL-US

Tunable White

Tunable White Dual Color
XFL-TWDC

RECOMMENDED COVERS AND LENSES

Lens Cover	Color	Material	Transmission	Pixelation Note
XCC-L-PICO7-ST	Satin	PC	59%	Clean Line of Light
XCC-L-PICO7-BK	Black	PC	21%	Visible Dot*

Clean Line of Light



Visible LED Dots*



*Visibility of LED Dots will also depend on pitch and spacing of LED of the XFL used. Higher the density, the lesser visible dots.

RECOMMENDED ENDCAPS AND MOUNTS

MINIMALIST SERIES

Model	Type	Finish	XCC-C-MM-PIKOZM	XCC-C-MM-PIKO	XCC-C-MM-KOZEL10
XCC-E-MM-PIKOZM-GR-STD	End Cap	Gray	✓		✓
XCC-E-MM-PIKOZM-WH-STD	End Cap	White	✓		✓
XCC-E-MM-PIKOZM-BK-STD	End Cap	Black	✓		✓
XCC-E-MM-PIKOZM-GR-HOLE	End Cap with Hole	Gray	✓		✓
XCC-E-MM-PIKOZM-WH-HOLE	End Cap with Hole	White	✓		✓
XCC-E-MM-PIKOZM-BK-HOLE	End Cap with Hole	Black	✓		✓
XCC-M-MM-PIKO-K10-CL	Mounting Bracket	Clear Plastic	✓	✓	

WARRANTY

4

YEAR WARRANTY

Limited Product Warranty

What is Covered

Xicato warrants the XCC product against defects in materials and workmanship for 4 years from date of purchase when used in accordance with product specifications and installation guidelines.

SAFETY AND INSTALLATION WARNINGS

- | |
|--|
| 1. Install per local/national electrical code by a licensed electrician. |
| 2. Power with UL Listed Class 2, 24VDC power supply only. |
| 3. Disconnect power before cutting or connecting tape light. |
| 4. Do not exceed maximum run length. Cut at designated cut points only. |
| 5. Do not power LED tape while coiled on reel. |
| 6. Adhere to clean, dry surface free of oils, silicones, and contaminants. |
| 7. Do not install where ambient temperature exceeds rated range. |
| 8. Verify all component compatibility before installation. |
| 9. Do not stare directly into illuminated LED light. |
| 10. Store unused product in anti-static bag. |
| 11. Failure to follow instructions voids warranty. |

Consumer Acknowledgment

Please read full Terms and Conditions at xicato.com. Licensed professionals strongly recommended.